

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	("20010037404" "20010049743" "20020002567" "20020046235" "20020049790" "20020069224" "20020083097" "20020099735" "20020120652" "20020122054" "20020123993" "20020184269" "20020194220" "20030014447" "6393442" "6480860"). PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L2	1590	websphere	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L3	541	websphere and node and storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L4	16	websphere and node and partition\$3 near2 storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L5	24	websphere and node and (separate partition\$3) near2 storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L6	24	websphere and node and (separate partition\$3) near2 storage and configur\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L7	18	websphere and node and (separate partition\$3) near2 storage and configur\$5 and compatib\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L8	0	websphere and compatib\$5 near2 node and (separate partition\$3) near2 storage and configur\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L9	53	compatib\$5 with distributed with configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16

EAST Search History

L10	12	compatib\$5 near2 node and (separate partition\$3) near2 storage and configur\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L11	1701	distributed near2 system near2 management	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L12	84	distributed near2 system near2 management and configuration near setting	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L13	237	distributed near2 system near2 management and configuration near (setting file)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L14	17	distributed near2 system near2 management and configuration near (setting file) same (upgrad\$3 synchroniz\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L15	49331	(partition\$3 divid\$3) with (storage repository)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L16	1235	(partition\$3 divid\$3) with (storage repository) with configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L17	34	(partition\$3 divid\$3) with (storage repository) with configuration same (upgrad\$3 synch\$8)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L18	32047	(separat\$3 partitioned) near2 storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L19	12	(separat\$3 partition\$3 divid\$3) near2 storage with version with configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16

EAST Search History

L20	1	(separat\$3 partition\$3 divid\$3) near2 storage with version with (upgrad\$3 synchroniz\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L21	142	(separat\$3 partition\$3 divid\$3) near2 storage with version	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L22	92	update with software with partition	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L23	59	updat\$3 near2 software with partition	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L24	1	websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage same (configuration version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L25	1	websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage same configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L26	28	websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L27	0	"method for generating xslt documents"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L28	0	"method for generating xslt documents".ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L29	1	"20050204347"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16

EAST Search History

L30	1	upgrad\$3 with node with configuration with xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L31	1	upgrad\$3 with node same configuration with xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L32	15	upgrad\$3 with (system node) same configuration with xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L33	701	configuration near2 repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L34	5	partition\$3 with configuration near2 repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L35	174	partition\$3 with configuration near2 (repository storage)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L36	87	partition\$3 with configuration near (repository storage)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L37	12	partition\$3 with configuration near (repository storage) with (setting file)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L38	111	interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L39	0	upgrad\$3 with interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16

EAST Search History

L40	2	(version upgrad\$3) with interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L41	0	(upgrad\$3 with version) and interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L42	41	(upgrad\$3 or updat\$3 with version) and interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L43	238	(automatic automated) with upgrad\$3 with (version application)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L44	4	(automatic automated) with upgrad\$3 with (version application) same node	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L45	59	(automatic automated) with upgrad\$3 with (version application) same configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L46	228	primary with master with node	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L47	63	primary with master with node with slave	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L48	28	primary with master with node with slave with secondary	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L49	1590	websphere "with5.x"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16

EAST Search History

L50	6	websphere with "5.x"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L51	5	websphere with "5\$2"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L52	150	websphere with "5"\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L53	5	upgrad\$3 with websphere	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L54	23	websphere with version with "5"\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L55	2	websphere with "6.x"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L56	5	websphere with version with "6"\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L57	3	websphere with version with "6.0"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L58	1	websphere with version with "6.1"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L59	0	websphere with version with "6.2"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16

EAST Search History

L60	1	websphere with version with "6"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L61	3	websphere with version with "6."\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L62	108	websphere with version	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L63	20	WAS with IBM	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
L64	20	"WAS" with IBM	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/23 13:16
S1	16	("20010037404" "20010049743" "20020002567" "20020046235" "20020049790" "20020069224" "20020083097" "20020099735" "20020120652" "20020122054" "20020123993" "20020184269" "20020194220" "20030014447" "6393442" "6480860"). PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 09:18
S2	1382	websphere	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 17:46
S3	477	websphere and node and storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 15:23
S4	16	websphere and node and partition\$3 near2 storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 19:17

EAST Search History

S5	24	websphere and node and (separate partition\$3) near2 storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 16:21
S6	24	websphere and node and (separate partition\$3) near2 storage and configur\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 15:37
S7	18	websphere and node and (separate partition\$3) near2 storage and configur\$5 and compatib\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 15:56
S8	0	websphere and compatib\$5 near2 node and (separate partition\$3) near2 storage and configur\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 16:33
S9	47	compatib\$5 with distributed with configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 16:21
S10	10	compatib\$5 near2 node and (separate partition\$3) near2 storage and configur\$5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 16:42
S11	1537	distributed near2 system near2 management	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 16:42
S12	70	distributed near2 system near2 management and configuration near setting	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 16:45
S13	213	distributed near2 system near2 management and configuration near (setting file)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 16:47
S14	12	distributed near2 system near2 management and configuration near (setting file) same (upgrad\$3 synchroniz\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 17:36

EAST Search History

S15	46888	(partition\$3 divid\$3) with (storage repository)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 17:38
S16	1157	(partition\$3 divid\$3) with (storage repository) with configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 17:38
S17	29	(partition\$3 divid\$3) with (storage repository) with configuration same (upgrad\$3 synch\$8)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 17:39
S18	30260	(separat\$3 partitioned) near2 storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 18:43
S19	123	(separat\$3 partition\$3 divid\$3) near2 storage with version	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 19:09
S20	8	(separat\$3 partition\$3 divid\$3) near2 storage with version with configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 18:45
S21	1	(separat\$3 partition\$3 divid\$3) near2 storage with version with (upgrad\$3 synchroniz\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 18:49
S22	78	update with software with partition	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 19:09
S23	48	updat\$3 near2 software with partition	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 19:10
S24	26	websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 19:19

EAST Search History

S25	1	websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage same configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 19:19
S26	1	websphere and node and (separat\$3 divid\$3 partition\$3) near2 storage same (configuration version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/07 19:18
S27	0	"method for generating xslt documents"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 09:18
S28	0	"method for generating xslt documents".ti.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 09:19
S29	1	"20050204347"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 09:33
S30	1	upgrad\$3 with node with configuration with xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 09:34
S31	1	upgrad\$3 with node same configuration with xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 09:34
S32	10	upgrad\$3 with (system node) same configuration with xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:01
S33	626	configuration near2 repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:02
S34	5	partition\$3 with configuration near2 repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:05

EAST Search History

S35	160	partition\$3 with configuration near2 (repository storage)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:10
S36	79	partition\$3 with configuration near (repository storage)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:10
S37	8	partition\$3 with configuration near (repository storage) with (setting file)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:48
S38	104	interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:48
S39	0	upgrad\$3 with interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:49
S40	2	(version upgrad\$3) with interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:49
S41	0	(upgrad\$3 with version) and interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:51
S42	41	(upgrad\$3 or updat\$3 with version) and interdev	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 10:51
S43	219	(automatic automated) with upgrad\$3 with (version application)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 11:29
S44	4	(automatic automated) with upgrad\$3 with (version application) same node	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 11:34

EAST Search History

S45	54	(automatic automated) with upgrad\$3 with (version application) same configuration	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 11:34
S46	203	primary with master with node	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 17:19
S47	56	primary with master with node with slave	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 17:19
S48	26	primary with master with node with slave with secondary	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 17:22
S49	1382	websphere "with5.x"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 17:46
S50	6	websphere with "5.x"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:00
S51	5	websphere with "5\$2"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 17:47
S52	137	websphere with "5"\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 17:49
S53	5	upgrad\$3 with websphere	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 17:50
S54	19	websphere with version with "5"\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:06

EAST Search History

S55	4	websphere with version with "6"\$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:01
S56	2	websphere with "6.x"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:01
S57	3	websphere with version with "6.0"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:06
S58	1	websphere with version with "6.1"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:07
S59	0	websphere with version with "6.2"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:07
S60	1	websphere with version with "6"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:07
S61	3	websphere with version with "6."\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:12
S62	99	websphere with version	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/08 19:12
S63	20	WAS with IBM	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/10 11:27
S64	20	"WAS" with IBM	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/10 11:27